

MJG 型煤气加压离心鼓风机性能与选用件表

| 型 号         | 传动方式 | 转 速<br>rpm | 序 号 | 流 量<br>m <sup>3</sup> /h | 全 压<br>pa | 电 动 机                  |        | 地 脚 螺 栓   |
|-------------|------|------------|-----|--------------------------|-----------|------------------------|--------|-----------|
|             |      |            |     |                          |           | 型 号                    | 功 率 kw |           |
| MJG50-1550  | D    | 2950       | 1   | 1110                     | 14867     | YB180M-2               | 22     | 6-M16×400 |
|             |      |            | 2   | 1554                     | 15579     |                        |        |           |
|             |      |            | 3   | 1998                     | 16033     |                        |        |           |
|             |      |            | 4   | 2442                     | 16163     | YB200L <sub>1</sub> -2 | 30     |           |
|             |      |            | 5   | 2887                     | 16023     |                        |        |           |
|             |      |            | 6   | 3331                     | 15632     |                        |        |           |
|             |      |            | 7   | 3775                     | 15026     |                        |        |           |
| MJG60-1800  | D    | 2950       | 1   | 1341                     | 17013     | YB200L <sub>1</sub> -2 | 30     | 8-M20×500 |
|             |      |            | 2   | 1877                     | 17828     |                        |        |           |
|             |      |            | 3   | 2414                     | 18347     |                        |        |           |
|             |      |            | 4   | 2950                     | 18496     | YB200L <sub>2</sub> -2 | 37     |           |
|             |      |            | 5   | 3487                     | 18338     |                        |        |           |
|             |      |            | 6   | 4023                     | 17888     |                        |        |           |
|             |      |            | 7   | 4560                     | 17196     |                        |        |           |
| MJG100-1650 | D    | 2950       | 1   | 2996                     | 16216     | YB225M-2               | 45     | 8-M22×500 |
|             |      |            | 2   | 3824                     | 16528     |                        |        |           |
|             |      |            | 3   | 4651                     | 16931     |                        |        |           |
|             |      |            | 4   | 5478                     | 17096     | YB250M-2               | 55     |           |
|             |      |            | 5   | 6306                     | 16931     |                        |        |           |
|             |      |            | 6   | 7133                     | 16729     |                        |        |           |
|             |      |            | 7   | 7960                     | 16216     |                        |        |           |
| MJG70-2000  | D    | 2950       | 1   | 1591                     | 19073     | YB200L <sub>1</sub> -2 | 37     | 8-M22×500 |
|             |      |            | 2   | 2228                     | 19988     |                        |        |           |
|             |      |            | 3   | 2865                     | 20569     |                        |        |           |
|             |      |            | 4   | 3502                     | 20736     | YB225M-2               | 45     |           |
|             |      |            | 5   | 4138                     | 20558     |                        |        |           |
|             |      |            | 6   | 4775                     | 20054     |                        |        |           |
|             |      |            | 7   | 5412                     | 19278     |                        |        |           |

MJG 型煤气加压离心鼓风机性能与选用件表

| 型 号         | 传动方式 | 转 速<br>rpm | 序 号 | 流 量<br>m <sup>3</sup> /h | 全 压<br>pa | 电 动 机    |        | 地 脚 螺 栓   |
|-------------|------|------------|-----|--------------------------|-----------|----------|--------|-----------|
|             |      |            |     |                          |           | 型 号      | 功 率 kw |           |
| MJG135-2000 | D    | 2950       | 1   | 3832                     | 20167     | YB250M-2 | 55     | 8-M22×500 |
|             |      |            | 2   | 4648                     | 20383     |          |        |           |
|             |      |            | 3   | 5237                     | 20576     |          |        |           |
|             |      |            | 4   | 6376                     | 20589     | YB280S-2 | 75     |           |
|             |      |            | 5   | 7586                     | 20045     |          |        |           |
|             |      |            | 6   | 8835                     | 19862     |          |        |           |
|             |      |            | 7   | 9159                     | 19673     |          |        |           |
| MJG110-2150 | D    | 2950       | 1   | 2675                     | 21710     | YB280S-2 | 75     | 8-M22×500 |
|             |      |            | 2   | 3592                     | 21810     |          |        |           |
|             |      |            | 3   | 4653                     | 22652     |          |        |           |
|             |      |            | 4   | 5369                     | 22748     | YB280M-2 | 90     |           |
|             |      |            | 5   | 6328                     | 21653     |          |        |           |
|             |      |            | 6   | 6942                     | 20977     |          |        |           |
|             |      |            | 7   | 7499                     | 20564     |          |        |           |
|             |      |            | 8   | 9202                     | 19652     |          |        |           |
| MJG135-2150 | D    | 2950       | 1   | 4295                     | 20803     | YB280S-2 | 75     | 8-M22×500 |
|             |      |            | 2   | 5481                     | 21202     |          |        |           |
|             |      |            | 3   | 6667                     | 21719     |          |        |           |
|             |      |            | 4   | 7853                     | 21931     | YB280M-2 | 90     |           |
|             |      |            | 5   | 9039                     | 21719     |          |        |           |
|             |      |            | 6   | 10225                    | 21461     |          |        |           |
| MJG190-1450 | D    | 2950       | 1   | 6592                     | 15008     | YB280S-2 | 75     | 8-M22×500 |
|             |      |            | 2   | 7988                     | 15225     |          |        |           |
|             |      |            | 3   | 9232                     | 15146     |          |        |           |
|             |      |            | 4   | 10547                    | 14878     | YB280M-2 | 90     |           |
|             |      |            | 5   | 11654                    | 14552     |          |        |           |
|             |      |            | 6   | 12950                    | 14027     |          |        |           |
|             |      |            | 7   | 14304                    | 13359     |          |        |           |

MJG 型煤气加压离心鼓风机性能与选用件表

| 型号          | 传动方式 | 转速 rpm | 序号 | 流量 m <sup>3</sup> /h | 全压 pa | 电 动 机                  |       | 地脚螺栓       |
|-------------|------|--------|----|----------------------|-------|------------------------|-------|------------|
|             |      |        |    |                      |       | 型号                     | 功率 kw |            |
| MJG260-1150 | D    | 2950   | 1  | 12200                | 12420 | YB280S-2               | 75    | 8-M22×500  |
|             |      |        | 2  | 13475                | 12320 |                        |       |            |
|             |      |        | 3  | 14640                | 12080 |                        |       |            |
|             |      |        | 4  | 15826                | 11770 | YB280M-2               | 90    |            |
|             |      |        | 5  | 17000                | 11410 |                        |       |            |
|             |      |        | 6  | 18180                | 11055 |                        |       |            |
|             |      |        | 7  | 19360                | 10635 |                        |       |            |
| MJG400-1500 | D    | 2950   | 1  | 17580                | 15950 | YB315M-2               | 132   | 8-M22×500  |
|             |      |        | 2  | 19280                | 15820 |                        |       |            |
|             |      |        | 3  | 20950                | 15500 |                        |       |            |
|             |      |        | 4  | 22640                | 15110 | YB315L <sub>1</sub> -2 | 160   |            |
|             |      |        | 5  | 24330                | 14640 |                        |       |            |
|             |      |        | 6  | 26000                | 14180 |                        |       |            |
|             |      |        | 7  | 27700                | 13630 |                        |       |            |
| MJG280-1600 | D    | 2950   | 1  | 9210                 | 16550 | YB280M-2               | 90    | 10-M20×500 |
|             |      |        | 2  | 11260                | 16760 |                        |       |            |
|             |      |        | 3  | 13240                | 16670 |                        |       |            |
|             |      |        | 4  | 15420                | 16380 | YB315S-2               | 110   |            |
|             |      |        | 5  | 17180                | 16230 |                        |       |            |
|             |      |        | 6  | 18460                | 15770 |                        |       |            |
|             |      |        | 7  | 20350                | 15510 |                        |       |            |
| MJG430-1800 | D    | 2950   | 1  | 18600                | 19480 | YB315L <sub>1</sub> -2 | 160   | 8-M22×500  |
|             |      |        | 2  | 20300                | 19300 |                        |       |            |
|             |      |        | 3  | 21940                | 18940 |                        |       |            |
|             |      |        | 4  | 23780                | 18480 | YB315L <sub>1</sub> -2 | 200   |            |
|             |      |        | 5  | 25680                | 17920 |                        |       |            |
|             |      |        | 6  | 27500                | 17360 |                        |       |            |
|             |      |        | 7  | 29800                | 16720 |                        |       |            |

MJG 型煤气加压离心鼓风机性能与选用件表

| 型号          | 传动方式 | 转速 rpm | 序号 | 流量 m <sup>3</sup> /h | 全压 pa | 电 动 机                  |       | 地脚螺栓      |
|-------------|------|--------|----|----------------------|-------|------------------------|-------|-----------|
|             |      |        |    |                      |       | 型号                     | 功率 kw |           |
| MJG550-1800 | D    | 2950   | 1  | 23400                | 19350 | YB315L <sub>1</sub> -2 | 200   | 8-M22×500 |
|             |      |        | 2  | 25660                | 19140 |                        |       |           |
|             |      |        | 3  | 27880                | 18760 |                        |       |           |
|             |      |        | 4  | 30130                | 18290 | YB335M <sub>1</sub> -2 | 250   |           |
|             |      |        | 5  | 32390                | 17720 |                        |       |           |
|             |      |        | 6  | 34600                | 17150 |                        |       |           |
|             |      |        | 7  | 35200                | 16800 |                        |       |           |
| MJG210-2200 | D    | 2950   | 1  | 4813                 | 23693 | YB280M-2               | 90    | 8-M22×500 |
|             |      |        | 2  | 6751                 | 23206 |                        |       |           |
|             |      |        | 3  | 9022                 | 23489 |                        |       |           |
|             |      |        | 4  | 10943                | 23313 | YB315S-2               | 110   |           |
|             |      |        | 5  | 12644                | 22465 |                        |       |           |
|             |      |        | 6  | 14397                | 21237 |                        |       |           |
|             |      |        | 7  | 15664                | 20081 |                        |       |           |
| MJG240-2450 | D    | 2950   | 1  | 6850                 | 24350 | YB315M-2               | 132   | 8-M22×500 |
|             |      |        | 2  | 9240                 | 24600 |                        |       |           |
|             |      |        | 3  | 11200                | 25000 |                        |       |           |
|             |      |        | 4  | 12560                | 25220 | YB315L <sub>1</sub> -2 | 160   |           |
|             |      |        | 5  | 14350                | 24900 |                        |       |           |
|             |      |        | 6  | 15480                | 24500 |                        |       |           |
|             |      |        | 7  | 17380                | 24200 |                        |       |           |
| MJG300-2550 | D    | 2950   | 1  | 10950                | 21850 | YB315L <sub>1</sub> -2 | 160   | 8-M22×500 |
|             |      |        | 2  | 12200                | 25100 |                        |       |           |
|             |      |        | 3  | 13450                | 25500 |                        |       |           |
|             |      |        | 4  | 14700                | 25720 | YB315L <sub>1</sub> -2 | 200   |           |
|             |      |        | 5  | 15950                | 25760 |                        |       |           |
|             |      |        | 6  | 17200                | 25820 |                        |       |           |
|             |      |        | 7  | 18460                | 25800 |                        |       |           |
|             |      |        | 8  | 19710                | 25750 |                        |       |           |
|             |      |        | 9  | 20960                | 25430 |                        |       |           |
|             |      |        | 10 | 22200                | 24960 |                        |       |           |

MJG 型煤气加压离心鼓风机性能与选用件表

| 型 号          | 传 动 方式 | 转 速<br>rpm | 序 号 | 流 量<br>m <sup>3</sup> /h | 全 压<br>pa | 电 动 机                |        | 地 脚 螺 栓   |
|--------------|--------|------------|-----|--------------------------|-----------|----------------------|--------|-----------|
|              |        |            |     |                          |           | 型 号                  | 功 率 kw |           |
| MJG500-1100  | D      | 1450       | 1   | 17670                    | 11670     | YB315L1-4            | 160    | 6-M24×630 |
|              |        |            | 2   | 21800                    | 11870     |                      |        |           |
|              |        |            | 3   | 25910                    | 11770     |                      |        |           |
|              |        |            | 4   | 30000                    | 11460     |                      |        |           |
|              |        |            | 5   | 34160                    | 10960     | YB315L2-4            | 200    |           |
|              |        |            | 6   | 38280                    | 10450     |                      |        |           |
|              |        |            | 7   | 42410                    | 9880      |                      |        |           |
| MJG700-1500  | D      | 1450       | 1   | 26380                    | 15420     | YB450S1-4<br>(6000V) | 315    | 6-M24×630 |
|              |        |            | 2   | 33530                    | 15700     |                      |        |           |
|              |        |            | 3   | 38680                    | 15560     |                      |        |           |
|              |        |            | 4   | 44840                    | 15150     |                      |        |           |
|              |        |            | 5   | 51000                    | 14490     | YB450S3-4<br>(6000V) | 400    |           |
|              |        |            | 6   | 57150                    | 13810     |                      |        |           |
|              |        |            | 7   | 63300                    | 13030     |                      |        |           |
| MJG1100-1100 | D      | 1450       | 1   | 47120                    | 12280     | YB450S1-4<br>(6000V) | 315    | 6-M24×630 |
|              |        |            | 2   | 53010                    | 12100     |                      |        |           |
|              |        |            | 3   | 58900                    | 11830     |                      |        |           |
|              |        |            | 4   | 64790                    | 11500     |                      |        |           |
|              |        |            | 5   | 70680                    | 11100     | YB450S3-4<br>(6000V) | 400    |           |
|              |        |            | 6   | 76570                    | 10590     |                      |        |           |
|              |        |            | 7   | 82460                    | 10100     |                      |        |           |
| MJG1400-1500 | D      | 1450       | 1   | 70340                    | 16250     | YB150M2-4<br>(6000V) | 500    | 6-M24×630 |
|              |        |            | 2   | 79130                    | 16020     |                      |        |           |
|              |        |            | 3   | 87920                    | 15610     |                      |        |           |
|              |        |            | 4   | 96720                    | 15210     |                      |        |           |
|              |        |            | 5   | 105500                   | 14660     | YB630S1-4<br>(6000V) | 800    |           |
|              |        |            | 6   | 114300                   | 13980     |                      |        |           |
|              |        |            | 7   | 123090                   | 13320     |                      |        |           |

此类风机是根据二段式煤气炉的发展趋势，结合单段式煤气炉而开发的新型煤气排送机，适用于厂矿煤气站煤气加压，高炉、焦炉、转炉煤气加压，氨气、沼气、甲烷等要求密封性严格的气体输送或高压强制鼓风，性能如下

(1) MJG 型煤气加压离心鼓风机性能与选用件表

煤气温度 20℃

| 型 号       | 传 动 方式 | 转 速<br>rpm | 序 号 | 流 量<br>m <sup>3</sup> /h | 全 压<br>pa | 电 动 机    |        | 地 脚 螺 栓   |
|-----------|--------|------------|-----|--------------------------|-----------|----------|--------|-----------|
|           |        |            |     |                          |           | 型 号      | 功 率 kw |           |
| MJG20-210 | D      | 2900       | 1   | 108                      | 2396      | YB80M2-2 | 1.1    | 6-M16×400 |
|           |        |            | 2   | 110                      | 2305      |          |        |           |
|           |        |            | 3   | 115                      | 2218      |          |        |           |
|           |        |            | 4   | 119                      | 2162      |          |        |           |
|           |        |            | 5   | 123                      | 2073      |          |        |           |
|           |        |            | 6   | 126                      | 2031      |          |        |           |
|           |        |            | 7   | 129                      | 1917      |          |        |           |
| MJG15-400 | D      | 2900       | 1   | 814                      | 4145      | YB90L-2  | 2.2    | 6-M16×400 |
|           |        |            | 2   | 827                      | 4139      |          |        |           |
|           |        |            | 3   | 841                      | 4121      |          |        |           |
|           |        |            | 4   | 863                      | 4107      |          |        |           |
|           |        |            | 5   | 880                      | 4088      |          |        |           |
|           |        |            | 6   | 891                      | 4071      |          |        |           |
|           |        |            | 7   | 908                      | 4062      |          |        |           |
| MJG20-520 | D      | 2900       | 1   | 1026                     | 5316      | YB100L-2 | 3      | 6-M16×400 |
|           |        |            | 2   | 1069                     | 5302      |          |        |           |
|           |        |            | 3   | 1145                     | 5284      |          |        |           |
|           |        |            | 4   | 1179                     | 5227      |          |        |           |
|           |        |            | 5   | 1193                     | 5201      |          |        |           |
|           |        |            | 6   | 1255                     | 5167      |          |        |           |
|           |        |            | 7   | 1296                     | 5141      |          |        |           |
| MJG35-450 | D      | 2900       | 1   | 1174                     | 4603      | YB132S-2 | 5.5    | 6-M16×400 |
|           |        |            | 2   | 1394                     | 4684      |          |        |           |
|           |        |            | 3   | 1616                     | 4672      |          |        |           |
|           |        |            | 4   | 1839                     | 4580      |          |        |           |
|           |        |            | 5   | 2062                     | 4447      |          |        |           |
|           |        |            | 6   | 2281                     | 4297      |          |        |           |
|           |        |            | 7   | 2504                     | 4112      |          |        |           |

MJG 型煤气加压离心鼓风机性能与选用件表

| 型 号        | 传 动 方式 | 转 速<br>rpm | 序 号 | 流 量<br>m <sup>3</sup> /h | 全 压<br>pa | 电 动 机     |        | 地 脚 螺 栓   |
|------------|--------|------------|-----|--------------------------|-----------|-----------|--------|-----------|
|            |        |            |     |                          |           | 型 号       | 功 率 kw |           |
| MJG50-550  | D      | 2900       | 1   | 1610                     | 5697      | YB132S,-2 | 5.5    | 6-M20×500 |
|            |        |            | 2   | 1932                     | 5768      |           |        |           |
|            |        |            | 3   | 2254                     | 5740      |           |        |           |
|            |        |            | 4   | 2576                     | 5639      | YB132S,-2 | 7.5    |           |
|            |        |            | 5   | 2844                     | 5517      |           |        |           |
|            |        |            | 6   | 3166                     | 5323      |           |        |           |
|            |        |            | 7   | 3488                     | 5080      |           |        |           |
| MJG100-550 | D      | 2900       | 1   | 4293                     | 6035      | YB160M,-2 | 15     | 6-M20×500 |
|            |        |            | 2   | 4706                     | 5984      |           |        |           |
|            |        |            | 3   | 5114                     | 5869      |           |        |           |
|            |        |            | 4   | 5527                     | 5725      |           |        |           |
|            |        |            | 5   | 5941                     | 5553      |           |        |           |
|            |        |            | 6   | 6349                     | 5381      |           |        |           |
|            |        |            | 7   | 6762                     | 5180      |           |        |           |
| MJG65-700  | D      | 2900       | 1   | 2262                     | 7182      | YB160M,-2 | 11     | 6-M20×500 |
|            |        |            | 2   | 2714                     | 7273      |           |        |           |
|            |        |            | 3   | 3167                     | 7236      |           |        |           |
|            |        |            | 4   | 3619                     | 7109      | YB160M,-2 | 15     |           |
|            |        |            | 5   | 3996                     | 6954      |           |        |           |
|            |        |            | 6   | 4448                     | 6709      |           |        |           |
|            |        |            | 7   | 4901                     | 6400      |           |        |           |
| MJG140-700 | D      | 2900       | 1   | 6032                     | 7160      | YB200L,-2 | 30     | 8-M20×500 |
|            |        |            | 2   | 6612                     | 7546      |           |        |           |
|            |        |            | 3   | 7185                     | 7400      |           |        |           |
|            |        |            | 4   | 7766                     | 7218      |           |        |           |
|            |        |            | 5   | 8346                     | 7000      |           |        |           |
|            |        |            | 6   | 8919                     | 6781      |           |        |           |
|            |        |            | 7   | 9500                     | 6521      |           |        |           |

MJG 型煤气加压离心鼓风机性能与选用件表

| 型 号         | 传 动 方式 | 转 速<br>rpm | 序 号 | 流 量<br>m <sup>3</sup> /h | 全 压<br>pa | 电 动 机     |        | 地 脚 螺 栓   |
|-------------|--------|------------|-----|--------------------------|-----------|-----------|--------|-----------|
|             |        |            |     |                          |           | 型 号       | 功 率 kw |           |
| MJG200-900  | D      | 2950       | 1   | 8588                     | 9698      | YB225M-2  | 45     | 8-M20×500 |
|             |        |            | 2   | 9415                     | 9616      |           |        |           |
|             |        |            | 3   | 10230                    | 9429      |           |        |           |
|             |        |            | 4   | 11056                    | 9195      | YB250M-2  | 55     |           |
|             |        |            | 5   | 11883                    | 8915      |           |        |           |
|             |        |            | 6   | 12699                    | 8636      |           |        |           |
|             |        |            | 7   | 13552                    | 8310      |           |        |           |
| MJG100-900  | D      | 2900       | 1   | 3220                     | 9149      | YB160L-2  | 18.5   | 8-M20×500 |
|             |        |            | 2   | 3865                     | 9265      |           |        |           |
|             |        |            | 3   | 4509                     | 9219      |           |        |           |
|             |        |            | 4   | 5153                     | 9055      | YB200L,-2 | 30     |           |
|             |        |            | 5   | 5690                     | 8857      |           |        |           |
|             |        |            | 6   | 6334                     | 8543      |           |        |           |
|             |        |            | 7   | 6978                     | 8148      |           |        |           |
| MJG280-1100 | D      | 2950       | 1   | 12292                    | 12427     | YB280S-2  | 75     | 8-M20×500 |
|             |        |            | 2   | 13475                    | 12321     |           |        |           |
|             |        |            | 3   | 14643                    | 12078     |           |        |           |
|             |        |            | 4   | 15826                    | 11776     | YB280M-2  | 90     |           |
|             |        |            | 5   | 17009                    | 11415     |           |        |           |
|             |        |            | 6   | 18177                    | 11055     |           |        |           |
|             |        |            | 7   | 19360                    | 10635     |           |        |           |
| MJG35-1200  | D      | 2900       | 1   | 768                      | 11472     | YB160M,-2 | 11     | 8-M20×500 |
|             |        |            | 2   | 1075                     | 12021     |           |        |           |
|             |        |            | 3   | 1383                     | 12371     |           |        |           |
|             |        |            | 4   | 1690                     | 12471     | YB160M,-2 | 15     |           |
|             |        |            | 5   | 1997                     | 12364     |           |        |           |
|             |        |            | 6   | 2304                     | 12061     |           |        |           |
|             |        |            | 7   | 2612                     | 11594     |           |        |           |



MJG 型煤气加压离心鼓风机性能与选用件表

| 型 号         | 传 动<br>方 式 | 转 速<br>rpm | 序<br>号 | 流 量<br>m <sup>3</sup> /h | 全 压<br>pa | 电 动 机                  |        | 地 脚 螺 栓   |
|-------------|------------|------------|--------|--------------------------|-----------|------------------------|--------|-----------|
|             |            |            |        |                          |           | 型 号                    | 功 率 kw |           |
| MJG140-1150 | D          | 2900       | 1      | 4610                     | 11717     | YB200L <sub>2</sub> -2 | 37     | 8-M20×500 |
|             |            |            | 2      | 5532                     | 11868     |                        |        |           |
|             |            |            | 3      | 6454                     | 11807     |                        |        |           |
|             |            |            | 4      | 7376                     | 11596     |                        |        |           |
|             |            |            | 5      | 8144                     | 11340     | YB225M-2               | 45     |           |
|             |            |            | 6      | 9066                     | 10935     |                        |        |           |
|             |            |            | 7      | 9988                     | 10426     |                        |        |           |
| MJG90-1350  | D          | 2950       | 1      | 2580                     | 14500     | YB200L <sub>2</sub> -2 | 37     | 8-M20×500 |
|             |            |            | 2      | 3355                     | 14802     |                        |        |           |
|             |            |            | 3      | 3988                     | 14565     |                        |        |           |
|             |            |            | 4      | 4077                     | 14177     |                        |        |           |
|             |            |            | 5      | 5410                     | 13681     |                        |        |           |
|             |            |            | 6      | 5870                     | 12981     |                        |        |           |
|             |            |            | 7      | 6243                     | 12327     |                        |        |           |
| MJG140-1400 | D          | 2950       | 1      | 5538                     | 14993     | YB250M-2               | 55     | 8-M20×500 |
|             |            |            | 2      | 6471                     | 14803     |                        |        |           |
|             |            |            | 3      | 7233                     | 14347     |                        |        |           |
|             |            |            | 4      | 7930                     | 13753     |                        |        |           |
|             |            |            | 5      | 8716                     | 13100     |                        |        |           |
|             |            |            | 6      | 8451                     | 12544     |                        |        |           |
|             |            |            | 7      | 10140                    | 11752     |                        |        |           |
| MJG240-1300 | D          | 2950       | 1      | 9495                     | 14679     | YB280S-2               | 75     | 8-M20×500 |
|             |            |            | 2      | 10680                    | 14479     |                        |        |           |
|             |            |            | 3      | 12705                    | 13901     |                        |        |           |
|             |            |            | 4      | 12869                    | 13239     |                        |        |           |
|             |            |            | 5      | 13955                    | 12422     |                        |        |           |
|             |            |            | 6      | 14996                    | 11636     |                        |        |           |
|             |            |            | 7      | 16318                    | 10879     |                        |        |           |